## Danner, Ward

From: Melanie Angel <melanie@promotrak.com>

**Sent:** Monday, July 21, 2014 2:45 PM

**To:** Blumenfeld, Jared; Scott, Jeff; Armann, Steve; supporter@malibuunites.com;

brd@smmusd.org

**Subject:** PCB removal in Malibu schools

Attachments: MU-PEER-Comments-to-EPA-PCB-7\_17\_14\_MU-PEER\_comments\_Environ\_Plan1.pdf

To all concerned,

I demand the following from the EPA so that they do not approve leaving PCBs in place for 15 years!:

- 1. Order SMMUSD to remove students from any potential exposure, until full source testing and remediation has been completed. School starts on August 19. Please ensure that students at MHS and JC have a place to be educated that is free of PCBs. ie: provide portable (pcb-free) classrooms for any rooms that violate 50ppm until which time renovation or full remediation has been completed.
- 2. Order SMMUSD to immediately test all the caulk/building materials suspected of containing PCBs in all classrooms constructed or renovated pre-1979
- 3. Order SMMUSD to immediately remove all PCB material in excess of 50ppm that is in violation of TSCA
- 4. Reject Environ's second PCB plan as wholly inadequate and in violation of TSCA regulation. There is no legal basis for leaving illegal levels of PCBs in place for 15 years. Fines under TSCA should be levied on the district for every day that they have not provided an appropriate plan since their due date of March 30th, 2014.

I support <u>Malibu Unites' formal letter</u> (attached) sent to the EPA to reject Envrion/district's plan to leave PCBs in place for 15 years.

Respectfully, Melanie

Melanie Angel

P Please consider the environment before printing this e-mail.

CONFIDENTIALITY NOTICE: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential or proprietary information. Any unauthorized review, use, disclosure or distribution is prohibited. If you are not the intended recipient, immediately contact the sender by reply e-mail and destroy all copies of the original message